

PANDAT™ 2020

Example Book



Copyright © 2000-2020 CompuTherm LLC

1 Contents

1. PanPhaseDiagram	1
Example 1.1 Al-Mg Binary Phase Diagram.....	1
Example 1.2 Phase Fraction as a Function of Composition	4
Example 1.3 Phase Fraction as a Function of Temperature.....	7
Example 1.4 Point Calculation at Fixed Temperature and Composition	10
Example 1.5 Isotherm of Al-Mg-Zn at 500°C	13
Example 1.6 Isopleth of Al-Mg-Zn at 15 at% Zn	16
Example 1.7 Liquidus Projection of Al-Mg-Zn.....	19
Example 1.8 Solidification Simulation by Scheil Model and Lever Rule.....	22
Example 1.9 Calculation of Gibbs Energy Curves	27
Example 1.10 Calculation of Activity at Constant Temperature	31
Example 1.11 Calculation of Activity at Constant Composition	34
Example 1.12 Calculation of Molar Volume and Density at Fixed Temperature	37
Example 1.13 Calculation of Molar Volume and Density at Fixed Composition.....	41
Example 1.14 Density Contour Diagram	44
Example 1.15 Activity Contour Diagram	47
Example 1.16 Pressure Contour Diagram.....	50
Example 1.17 3D Diagram	53
Example 1.18 Temperature-Pressure Diagram	57
Example 1.19 Phase Fraction Contour Diagram for Ti64	60
Example 1.20 Phase Forming Driving Force in High Entropy Alloys	63
Example 1.21 User-defined Property.....	67
Example 1.22 Run Pandat in Console Mode	69
Example 1.23 High Throughput Calculation (HTC): Pattern Compositions	71
Example 1.24 High Throughput Calculation (HTC): Random Compositions	76
Example 1.25 Friction-stir welding between AA5454 Al alloy and AZ91 Mg alloy	77
Example 1.26 Calculate Open Circle Voltage (OCV) under Equilibrium Condition.....	82
2 PanOptimizer	88
Example 2.1 Parameter Optimization for the Fe-Cr-Ni Ternary System.....	88
3 PanPrecipitation.....	91
Example 3.1 Precipitation Simulation of Ni-14Al (at%) Alloy	91

Example 3.2	TTT diagram of Ni-14Al (at%) Alloy.....	98
Example 3.3	Co-precipitation of γ' and γ'' in the Ni-Al-Nb Pseudo-ternary System	101
Example 3.4	Simulation of Hardness of Aluminum Alloy 6005	106
Example 3.5	Simulation of Softening of Aluminum Alloy 6005	111
Example 3.6	Simulation of Yield Strength of Aluminum Alloy 357	115
4	PanDiffusion	119
Example 4.1	Diffusion within a Single Phase: Uniform Composition on Each Side	119
Example 4.2	Diffusion within a Single Phase: Linear Composition on Each Side.....	123
Example 4.3	Diffusion between Two Phases: Uniform Composition on Each Side	125
Example 4.4	Diffusion between Two Phases at Varied Temperature: Uniform Composition on Each Side	128
Example 4.5	Diffusion among Multiple Regions.....	130
Example 4.6	Carburization with Fixed Composition at Boundary	133
Example 4.7	Carburization with Input Flux.....	135
Example 4.8	Carburization of a Tube with Fixed Environmental Activity	137
Example 4.9	Dissolution of γ' Particle in γ Matrix	139
Example 4.10	Transformation from γ to α	142
Example 4.11	Fe-Si-C Uphill Diffusion	144
Example 4.12	Dissolution of a Single θ -Al ₂ Cu Particle in FCC Matrix.....	148
Example 4.13	Multi-Particles Dissolution.....	151
Example 4.14	Decarburization of Fe-C Matrix.....	154
5	PanSolidification	157
Example 5.1	Solidification simulation of Mg-Al alloy under specified cooling rate	157
Example 5.2	Solidification simulation of an Al-Cu-Mg alloy for hot cracking susceptibility index prediction	161
Example 5.3	HTC calculations in PanSolidification	166